Business Name: Tank It Easy Colorado Springs
Address: Colorado Springs, CO 80917
Phone: (719) 359-8832

Tank It Easy Colorado Springs

Tank It Easy – Colorado Springs provides fast, reliable septic tank cleaning for homes and businesses across the region. We handle routine pumping, maintenance, and inspections with honest pricing and friendly service. Whether you're dealing with backups, odors, or just need regular service, our licensed and insured team gets the job done right. Family-owned and operated, we’re committed to keeping your septic system running smoothly. Call today and let Tank It Easy do the dirty work—so you don’t have to!

View on Google Maps
Colorado Springs, CO 80917
Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: https://www.facebook.com/profile.php?id=61573216902188
- YouTube: https://www.youtube.com/@TankItEasyCO

Explore this content with AI:

ChatGPT Perplexity Claude Google AI Mode Grok

A healthy septic system isn't a high-end. It quietly secures your home, your backyard, and your wallet. When it fails, the costs are immediate and untidy, and generally higher than a consistent routine of preventative care. I have actually stood in yards where a basic service call might have been a $350 billing 6 months previously, and rather it developed into a $12,000 drainfield replacement. The difference generally boils down to timing, a few smart upgrades, and dealing with the best crew.

This guide steps through what really matters: dependable septic tank pumping, smart septic system maintenance, and when a brand-new setup makes sense. Expect plain numbers, trade-offs, and on-the-ground information you can use.

What a septic tank in fact does

If you wish to keep expenses in check, start with a clear photo of how the system works. Wastewater leaves your house and goes into the tank, where solids settle to the bottom as sludge and fats drift to the leading as scum. The middle layer, the clarified effluent, flows out to the drainfield. Soil microbes in the drainfield do most of the last treatment.

Two parts of the tank matter more than house owners realize. The inlet and outlet baffles keep scum and pieces from leaving. The outlet baffle deals with an effluent filter to secure the drainfield. If that filter blockages or a baffle fails, solids can travel downstream. That is how a $400 pump-out develops into a $10,000 replacement.

A conventional system relies on gravity. In areas with high groundwater, clay soils, or hills, you'll see pump tanks, pressure distribution, or engineered mounds. Those designs cost more up front, however they solve site realities you can't change.

Pumping, cleaning, and clearing - what the terms mean

Contractors utilize these words in somewhat various ways, and the differences affect cost and quality.

Septic tank pumping normally suggests getting rid of liquid and suspended solids utilizing a vacuum truck. Septic tank emptying is utilized interchangeably, though some operators use it to stress a full elimination down to the bottom layer. Septic system cleaning generally implies a more extensive service: upseting settled sludge, rinsing the walls and baffles, and ensuring the tank is as near bare as practical without destructive delicate elements. Proper cleaning takes more time, and you'll pay a bit more, however you start with a really reset system.

If your technician states they can't get the last foot of compacted sludge, you likely need agitation or a return check out. Leaving heavy sludge behind shortens your period to the next pump and dangers pushing solids to the field. The right method depends on the length of time it has been because the last service and the thickness of sludge. I have actually had tanks that required only 40 minutes of pumping, and others that took two hours of mindful work to release a choked outlet.

How typically to schedule septic tank pumping

You'll hear the standard three to 5 years, which's a great beginning variety for a normal 1,000 gallon tank serving a family of 4. The real response depends on how much you use waste disposal unit, how long showers run, and whether a home business or multigenerational family adds tenancy. A straightforward method to decide is to have your professional step sludge and residue density throughout service. When the combined layers reach about one third of the tank volume, it's time.

Useful standards:

- A household of four with a 1,000 gallon tank and modest water use frequently pumps every 3 to 4 years.
- Add a garbage disposal and the period can drop to 2 years. A disposal increases solids, often by half or more.
- A leasing or vacation home with seasonal usage may stretch to 5 or perhaps 6 years, but measure layers, do not guess.

If your covers are buried and every see needs digging, you will be tempted to postpone pumping. That is incorrect economy. Install risers when and make future work more affordable and faster.

What a professional pump-out must include

Several homeowners have told me they thought pumping was simply a fast hose pipe task. A correct service sees the complete system and leaves you with evidence that it was done right. If you have actually never ever seen an extensive approach, here is an easy walkthrough to set expectations.

- Locate and expose both the inlet and outlet access points, not just the center lid.
- Measure and tape-record the sludge and residue layers before pumping, then again after, so you have a baseline.
- Pump with sufficient agitation to eliminate settled solids, without destructive baffles or tees. Rinse if compacted.
- Inspect the inlet and outlet baffles, and the effluent filter if present. Clean or replace the filter.
- Verify the totally free flow to the drainfield and note any indications of backflow or root invasion. Provide images and a composed report.

You'll observe this checklist touches more than the tank. A service call is the best opportunity to catch loose baffles, cracked lids, or a stopping working filter. If your provider can not show you the outlet baffle and filter, they are thinking about the health of the most important part of the system.

Typical residential pumping charges run in between $250 and $600 for an accessible 1,000 to 1,500 gallon tank, depending on your region and how much digging is needed. Add $100 to $250 for riser installation per cover, $50 to $150 for a brand-new effluent filter, and a bit more time if the tank is packed with solids.

Is a sluggish drain really a pipes issue?

Homeowners often call a plumbing for sluggish drains pipes or gurgling. Sometimes the fix is inside the house, however think about the pattern. Numerous fixtures sluggish at the same time, or a basement toilet burps when the washer drains pipes, and the septic tank is a suspect. When the tank's outlet is clogged, indoor signs can look like pipeline blockages. Get the lid open before you snake the whole home. I when traced a "stubborn obstruction" to a filter packed with clothes dryer lint. A five minute cleansing saved a weekend of plumbing charges.

The little upgrades that conserve big

A couple of modest additions develop long-term cost savings and make septic tank maintenance easier.

Effluent filter. This rests on the outlet baffle and pressures out roaming solids. It needs cleaning once or twice a year, and it can clog if overlooked, so install an alarm float or get in the practice of seasonal checks. A filter can extend a drainfield's life by years for a little upfront cost.

Risers. Bring lids to grade. If I could mandate one upgrade, this would be it. Every service becomes easy and cheaper. It likewise makes emergency situation access fast when you need it.

Alarms. Pump tanks and innovative treatment systems take advantage of high-water alarms. A few hundred dollars avoids quiet overflows into the lawn or home.

Distribution box tune-up. Old concrete D-boxes settle and favor one trench, overloading it. Re-leveling or changing package with adjustable plastic dams balances flow and lengthens the field.

Backflow check on pump systems. Avoids reverse siphon when the pump shuts down, preventing surges.

Septic-safe routines that really matter

A great deal of advice about sewage-disposal tank maintenance spins on brand and additives. Most tanks do fine without any additive. They currently brim with the best bacteria from your waste. What matters more is what you send out down the pipe, and how much.

Limit grease and food solids. Scrape plates into the garbage. Cooler bacon grease cakes into a heavy mat that can plug the filter and travel to the field.

Mind water utilize patterns. Laundry marathons discard hundreds of gallons in a day. That rise stirs solids and pushes them out. Spread loads through the week.

Choose paper sensibly. Requirement, single or double ply toilet tissue that breaks down rapidly is fine. Flushable wipes frequently aren't. They tangle in filters and lodge in baffles.

Keep chemicals moderate. Occasional bleach is not a catastrophe, however a consistent diet of extreme cleaners eliminates the tank's biology. Go simple on disinfectant dumps.

Protect the field. Do not drive or park on it. Roots from willows, poplars, and maples enjoy a moist leach bed. Keep thirsty trees well away.

When repairs become replacement

A tank with a cracked lid is repairable. A tank with a collapsing wall or a missing outlet baffle may be repairable too, however weigh the cost versus the tank's age and condition. Drainfields are trickier. Lavish green stripes over trenches, soaked or spongy soil, or effluent appearing suggests the soil is saturated or the biomat is choking flow. Jetting or aeration devices promise miracles. In my experience, those approaches at finest purchase time when the underlying concern is hydraulics or soil failure. Redirecting water loads, stabilizing the D-box, and replacing or rehabilitating laterals the right way resolve the problem, not a bubbler.

What a brand-new setup truly costs

Numbers vary by area, soil, and style. There is no sincere one-size rate. Here is a convenient frame:

- Conventional gravity system with a concrete or poly tank and standard trench field: roughly $6,000 to $12,000 in numerous states.
- Pumped or pressure-dosed system, or a shallow trench due to high water table: frequently $10,000 to $18,000.
- Engineered mound, aerobic treatment system, or tight websites with innovative controls: $15,000 to $30,000, often higher for intricate lots.

Permits, perc testing, style work, and assessments add foreseeable actions and costs. Expect a percolation and soil evaluation first, then a style customized to your site's loading rate and obstacles. Many counties require 50 to 100 feet of separation from wells and water features, and vertical separation from groundwater. Your installer ought to know local distances cold.

Timelines depend on style evaluation. A straightforward replacement can move from test to last cover in 2 to four weeks if the county is responsive and weather cooperates. Hectic seasons or crafted systems can stretch to two months.

Picking tank materials and sizes that fit

Concrete, fiberglass, and polyethylene tanks all work when set up correctly. Concrete tanks are heavy, stable, and long septic tank maintenance lived, specifically where soils are buoyant or irreversible groundwater is a concern. Fiberglass and poly are lighter, easier to embed in tight gain access to backyards, and withstand deterioration. They should be bedded and anchored correctly to prevent floating or warping in wet soils.

Most three bed room homes get a 1,000 to 1,250 gallon tank. Four bed rooms press to 1,250 to 1,500 gallons. If you host big events or run a day care, err on the bigger side. A larger tank does not repair a stopping working field, but it does offer more settling volume and buffer for peak days.

Ask for two compartments or a two-tank series. Compartmentalization improves solids separation and offers redundancy if a baffle fails.

Trench design and soil realities

Good installers check out soils like a map. Sand accepts effluent in a different way than silty loam or clay. Trenches in fast-draining sands may need bigger footprints to make sure treatment time. Heavy clays need shallow, broader distribution to keep effluent near aerobic zones where microbes work best. Pressurized circulation evens flow and avoids the very first few feet from taking all the load.

Do not chase the cheapest square video by tucking trenches into tight corners or cutting obstacles thin. It makes future maintenance and expansions harder, and inspectors are unlikely to approve styles that flirt with wells or property lines. A smart layout likewise leaves room for a future replacement location if the first field ultimately uses out.

Real numbers from the field

Consider two surrounding homes I serviced last fall. Very same age, same floor plan, both on 1,000 gallon tanks. House A pumped every 3 to 4 years, had risers and a filter, and used a mesh sink strainer rather of the disposal 90 percent of the time. The filter needed a quick rinse twice a year. Their overall five-year spend: about $1,000, including an initial $350 riser install.

House B never ever pumped for seven years. The scum layer was so thick it folded into the outlet. The first trench in the field went anaerobic and clogged up. That task became a partial field replacement at $8,700, plus a new filter and baffle. Most of that costs might have been avoided with 2 regular pump-outs and a filter clean.

Additives: when they assist, when they do n'thtmlplcehlder 130end.

I get asked about enzymes and bacterial additives numerous times a month. In a healthy tank, they hardly ever add worth. The tank's native microbes deal with food digestion well. Enzyme products that melt sludge can push solids towards the field, which is the last thing you want. There are narrow cases, such as a seasonal cabin that sits unused for long stretches, where a starter product after a deep clean may support biology. Treat these as optional, not an alternative to pumping.

Foaming root killers can slow root invasion in pipes, but they will not cure a root-invaded drainfield. Mechanical cutting and rerouting lines, coupled with eliminating issue trees, is a more honest answer.

Cold climate and storm considerations

Winter service is harder when lids are buried under frost. This is one more reason to install risers to grade. If your drainfield forms ice lenses or you see emerging water throughout deep cold, reduce water use temporarily. Jacuzzis and long showers can overload a field when the topsoil is frozen.

Heavy rains inform stories too. If your tank's outlet backs up after storms, groundwater might be penetrating laterals or the tank. Ask for a color test or electronic camera examination after pumping, and consider a tight tank or repairs where seepage is apparent. Downspouts and sump pumps need to never ever connect into the septic. I have found more than one mystery failure brought on by a concealed sump line sending out numerous gallons a day to the field.

What to do in a suspected backup

If toilets gurgle and tubs drain slowly, stop laundry and dish-washing. Lift the tank cover if you can do so securely. Examine the effluent filter. If it is blocked, clean it with a mild pipe stream directed back into the tank,

not downstream. If the tank level is above the outlet pipe, call a pumper. Keep traffic off the drainfield while the system is distressed.

When you capture the issue early, a simple septic tank cleaning gets you back to normal. Wait too long, and you're in drainfield territory.

Choosing the right contractor

The least expensive quote is not constantly the best worth. 2 teams might both own vacuum trucks, yet the distinction in training and thoroughness changes your outcome. Utilize this list to separate pros from pretenders.

- They open both inlet and outlet covers, and they determine sludge and scum.
- They show you the outlet baffle and filter, and they clean or replace the filter.
- They supply images and a written service note with measured layers and any defects.
- They carry the best licenses and evidence of insurance coverage, and they pull licenses when required.
- They discuss long-term preparation, like risers, filters, and field security, not simply today's pump.

If you are setting up or changing a system, ask to see previous as-builts, recommendations from the past year, and a plan for protecting soil structure during excavation. Good installers will hold off a job a day rather than trench a waterlogged site. That persistence saves you money later.

Paperwork worth keeping

Keep a folder with diagrams, allow numbers, tank size, and images of the tank and field design. Embed service dates and layer measurements. When you offer, this is gold for purchasers and appraisers. During emergency situations, your next service technician can discover lids and field lines without exploratory digging. I mark risers with GPS pins on my phone. It saves time five years later when a brand-new landscape bed hides every clue.

The case for spending a little more on day one

When you install a new tank or field, a few incremental options pay off for years. Two-compartment tanks, pressure circulation, and cleanouts on long sewage system runs cost a bit more on the invoice. They conserve you duplicate gos to, unequal trenches, and strange blockages down the road. Effluent filters and risers change the culture around the system. House owners check delicately twice a year, and little concerns stay small.

If your lot is tight or soils are difficult, an aerobic treatment system or media filter can cut the drainfield footprint and enhance effluent quality. These systems require more upkeep, usually two to 4 service gos to a year, and an

electrical supply. Run the mathematics on operating costs versus your website constraints. On little or waterside lots, they frequently are the only defensible option.

Budgeting for a calm decade

Think about septic care like cars and truck upkeep. Strategy a standard expense each year, even when you don't call anybody. If you average $400 every three years for septic tank pumping and $50 a year for filter cleansing or replacement, your annualized cost is under $200. That is a small line item compared to a complete field replacement. Add a reserve for eventual upgrades. When you can, knock out risers and filters early. The next owner will thank you, and you'll pocket the savings from faster service calls.

On the installation side, budget varieties are broad. Get at least two bids from certified installers who strolled the website and reviewed soil tests. Beware of quotes that leave out remediation, risers, filters, or license fees. If you live where winter closes down trenching, schedule early. Last minute, pre-freeze installs rush crucial steps, like bedding pipes or compacting backfill.

A fast word on safety

Open sewage-disposal tanks are dangerous. Covers are heavy, drops are deep, and gases in inadequately ventilated tanks can be unsafe. Keep kids and animals away throughout service. If a lid is broken or loose, change it right away. Protected riser covers with screws or locks. I likewise advise identifying the electrical circuit for any pump tank and including a dedicated outlet to streamline service.

Bringing it all together

Septic health boils down to 3 routines. Comprehend your system all right to identify problem early. Arrange septic system emptying on a rhythm that matches your household, and treat septic system cleaning as a reset, not a luxury. Finally, buy small upgrades and a trustworthy specialist. Those choices keep your drains pipes quiet, your backyard dry, and your spending plan steady.

The highlight is that none of this requires uncertainty. You can determine layers, photograph baffles, and log dates. That basic record turns sewage-disposal tank maintenance into a positive regular rather of an anxious task. And if the day comes when you need a new system, you'll know exactly what you are buying and why it will last.

Tank It Easy Colorado Springs provides septic tank pumping
Tank It Easy Colorado Springs offers septic tank cleaning
Tank It Easy Colorado Springs provides septic system maintenance
Tank It Easy Colorado Springs serves Colorado Springs Colorado
Tank It Easy Colorado Springs serves El Paso County Colorado
Tank It Easy Colorado Springs supports residential septic systems
Tank It Easy Colorado Springs supports commercial septic systems
Tank It Easy Colorado Springs offers hydro jetting services
Tank It Easy Colorado Springs's hydro jetting removes debris from septic pipes
Tank It Easy Colorado Springs's septic tank pumping prevents septic system backups
Tank It Easy Colorado Springs's routine septic maintenance extends septic system lifespan
Tank It Easy Colorado Springs helps homeowners maintain septic systems
Tank It Easy Colorado Springs provides preventative septic maintenance
Tank It Easy Colorado Springs's septic tank cleaning improves septic system performance
Tank It Easy Colorado Springs operates in Colorado Springs Colorado

Tank It Easy Colorado Springs is a septic service company
Tank It Easy Colorado Springs provides septic system tune ups
Tank It Easy Colorado Springs's septic maintenance prevents costly septic repairs
Tank It Easy Colorado Springs focuses on reliable septic services
Tank It Easy Colorado Springs provides affordable septic services
Tank It Easy Colorado Springs has a phone number of (719) 359-8832
Tank It Easy Colorado Springs has an address of Colorado Springs, CO 80917
Tank It Easy Colorado Springs has a website https://tankiteasycosprings.com/
Tank It Easy Colorado Springs has Google Maps listing https://maps.app.goo.gl/ab9qJWakKK4xk8xUA
Tank It Easy Colorado Springs has Facebook page https://www.facebook.com/profile.php?id=61573216902188
Tank It Easy Colorado Springs has an YouTube channel https://www.youtube.com/@TankItEasyCO
Tank It Easy Colorado Springs won Top Septic Tank Pumping Company 2025
Tank It Easy Colorado Springs earned Best Customer Service Septic Tank Cleaning Award 2024
Tank It Easy Colorado Springs was awarded Best Septic Tank Emptying 2025

People Also Ask about Tank It Easy Colorado Springs

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Colorado Springs for septic tank pumping

Tank It Easy Colorado Springs provides reliable septic tank pumping and maintenance services for homeowners in Colorado. Tank It Easy Colorado Springs focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Colorado Springs recommend pumping a septic tank

Tank It Easy Colorado Springs generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Colorado Springs can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Colorado Springs provide

Tank It Easy Colorado Springs provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Colorado Springs helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Colorado Springs provide septic services for residential properties

Tank It Easy Colorado Springs provides septic services for residential septic systems throughout Colorado Springs and surrounding areas. Tank It Easy Colorado Springs helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Colorado Springs help prevent septic system problems

Tank It Easy Colorado Springs helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Colorado Springs also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Colorado Springs located?

The Tank It Easy Colorado Springs is conveniently located in Colorado Springs, CO 80917. You can easily find directions on Google Maps or call at (719) 359-8832 Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Colorado Springs?

You can contact Tank It Easy Colorado Springs by phone at: (719) 359-8832, visit their website at https://tankiteasycosprings.com/ or connect on social media via Facebook or on YouTube

After visiting exhibits at Colorado Springs Pioneers Museum homeowners nearby often schedule septic tank pumping to keep household plumbing systems running smoothly.